

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7: Wiota-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
11B: Colo-----	60	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding Slope	1.00 1.00 0.50
Ely-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
13B: Humeston-----	40	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 1.00	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Flooding Restricted permeability Slope	1.00 1.00 1.00 0.50
Colo-----	25	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding Slope	1.00 1.00 0.50
Vesser-----	25	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Flooding Depth to saturated zone	0.40 0.19	Very limited Flooding Slope Depth to saturated zone	1.00 0.50 0.39
23C: Arispe-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
23C2: Arispe-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.94
41B: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.13
41C: Sparta-----	95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
41E: Sparta-----	95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95
51: Vesser-----	95	Very limited Flooding Depth to saturated zone	1.00 0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding Depth to saturated zone	0.60 0.39
54: Zook-----	95	Very limited Depth to saturated zone Flooding Restricted permeability	1.00 1.00 0.94	Very limited Depth to saturated zone Restricted permeability	1.00 0.94	Very limited Depth to saturated zone Restricted permeability Flooding	1.00 0.94 0.60
56B: Cantril-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
58D2: Douds-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
58E: Douds-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
58E2: Douds-----	90	Very limited		Very limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	1.00	Slope	1.00	Slope	1.00
58G: Douds-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
65E: Lindley-----	85	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65E2: Lindley-----	85	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65F: Lindley-----	85	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
65G: Lindley-----	90	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
75B: Givin-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
76B: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope Restricted permeability	0.50 0.15
76C: Ladoga-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.15
80B: Clinton-----	95	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
80C: Clinton-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
80C2: Clinton-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
80D2: Clinton-----	95	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
88: Nevin-----	90	Not limited		Not limited		Not limited	
93D2: Shelby-----	50	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
Adair-----	40	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone Gravel content	1.00 0.94 0.39 0.06

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
122: Sperry-----	95	Very limited Depth to saturated zone Restricted permeability	1.00  0.94	Very limited Depth to saturated zone Restricted permeability	1.00  0.94	Very limited Depth to saturated zone Restricted permeability	1.00  0.94
130: Belinda-----	95	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00
131B: Pershing-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94  0.50
131C: Pershing-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00  0.94
132B: Weller-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94  0.50
132C: Weller-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00  0.94
133: Colo-----	95	Very limited Depth to saturated zone Flooding	1.00  1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00  0.60
133+: Colo-----	95	Very limited		Very limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
173: Hoopeston-----	85	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.40	Flooding	1.00
		Somewhat limited Depth to saturated zone	0.39	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Depth to saturated zone	0.39
						Slope	0.01
178: Waukee-----	95	Not limited		Not limited		Not limited	
179E: Gara-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
179E2: Gara-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
179F: Gara-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
192C2: Adair-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability	0.94
						Depth to saturated zone	0.39
						Gravel content	0.06
192D: Adair-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
192D2: Adair-----	90	Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.06
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
208: Landes-----	85	Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.06
		Not limited		Not limited		Somewhat limited Gravel content	0.22
						Slope	0.01
211: Edina-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
220: Nodaway-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
222C: Clarinda-----	85	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	1.00
						Depth to saturated zone	0.39
222C2: Clarinda-----	85	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Slope	1.00
						Depth to saturated zone	0.39

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
223C2: Rinda-----	95	Very limited Restricted permeability Depth to saturated zone	1.00  0.39	Very limited Restricted permeability Depth to saturated zone	1.00  0.19	Very limited Restricted permeability Slope  Depth to saturated zone	1.00  1.00  0.39
223D2: Rinda-----	90	Very limited Restricted permeability Slope  Depth to saturated zone	1.00  0.63  0.39	Very limited Restricted permeability Slope  Depth to saturated zone	1.00  0.63  0.19	Very limited Slope  Restricted permeability Depth to saturated zone	1.00  1.00  0.39
230C: Arispe-----	60	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope  Restricted permeability	1.00  0.94
Clearfield-----	30	Somewhat limited Depth to saturated zone Restricted permeability	0.39  0.15	Somewhat limited Depth to saturated zone Restricted permeability	0.19  0.15	Very limited Slope  Depth to saturated zone Restricted permeability	1.00  0.39  0.15
260: Beckwith-----	95	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00
269: Humeston-----	90	Very limited Depth to saturated zone Flooding	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00	Very limited Depth to saturated zone Restricted permeability	1.00  1.00



Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	1.00			Flooding	0.60
276C2: Ladoga-----	50	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
Hedrick-----	40	Not limited		Not limited		Very limited Slope	1.00
279: Taintor-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
280: Mahaska-----	85	Not limited		Not limited		Not limited	
280B: Mahaska-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
281B: Otley-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
281C: Otley-----	95	Not limited		Not limited		Very limited Slope	1.00
313E: Gosport-----	85	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.96 0.07	Very limited Restricted permeability Slope Depth to saturated zone	1.00 0.96 0.03	Very limited Slope Restricted permeability Depth to bedrock Depth to saturated zone	1.00 1.00 0.46 0.07
313E2: Gosport-----	85	Very limited		Very limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
313F: Gosport-----	85	Restricted permeability	1.00	Restricted permeability	1.00	Slope	1.00
		Slope	0.96	Slope	0.96	Restricted permeability	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.46
						Depth to saturated zone	0.07
		Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.46
						Depth to saturated zone	0.07
315: Landes-----	40	Not limited		Not limited		Somewhat limited Gravel content	0.22
						Slope	0.01
Perks-----	30	Very limited Flooding	1.00	Somewhat limited Too sandy	0.87	Very limited Flooding	1.00
		Too sandy	0.87	Flooding	0.40	Too sandy	0.87
						Slope	0.01
Nodaway-----	20	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
						Slope	0.01
362: Haig-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
363: Haig-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
364B: Grundy-----	90	Somewhat limited Restricted permeability Depth to saturated zone	0.94  0.07	Somewhat limited Restricted permeability Depth to saturated zone	0.94  0.03	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94  0.50 0.07
380B: Mahaska-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
424D2: Lindley-----	60	Somewhat limited Slope Restricted permeability	0.63 0.15	Somewhat limited Slope Restricted permeability	0.63 0.15	Very limited Slope Restricted permeability	1.00 0.15
Keswick-----	30	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.39	Somewhat limited Restricted permeability Slope Depth to saturated zone	0.94 0.63 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
424E: Lindley-----	60	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
Keswick-----	30	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.19	Very limited Slope Restricted permeability Depth to saturated zone	1.00 0.94 0.39
424E2: Lindley-----	60	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15	Very limited Slope Restricted permeability	1.00 0.15
Keswick-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
425D: Keswick-----	90	Restricted permeability	0.94	Restricted permeability	0.94	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
425D2: Keswick-----	85	Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
451D2: Caleb-----	85	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Very limited Slope	1.00
453: Tuskeego-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
478G: Gosport-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	0.03	Depth to bedrock	0.46
						Depth to saturated zone	0.07
Rock Outcrop-----	40	Not rated		Not rated		Not rated	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
520: Coppock-----	85	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.19	Somewhat limited Flooding	0.60
		Depth to saturated zone	0.39			Depth to saturated zone	0.39
570C: Nira-----	90	Not limited		Not limited		Very limited Slope	1.00
581C2: Otley-----	60	Not limited		Not limited		Very limited Slope	1.00
Nira-----	35	Not limited		Not limited		Very limited Slope	1.00
592C2: Mystic-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
592D2: Mystic-----	85	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope	1.00
						Restricted permeability	0.94
594C2: Galland-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
594D2: Galland-----	85	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope	1.00
						Restricted permeability	0.94

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
594E2: Galland-----	85	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94	Very limited Slope Restricted permeability	1.00 0.94
688: Koszta-----	90	Not limited		Not limited		Not limited	
715: Nodaway-----	60	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Landes-----	30	Not limited		Not limited		Somewhat limited Gravel content	0.22
730B: Nodaway-----	60	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding Slope	1.00 0.13
Cantril-----	30	Not limited		Not limited		Somewhat limited Slope	0.50
731C2: Pershing-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
732C2: Weller-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope Restricted permeability	1.00 0.94
732D2: Weller-----	90	Somewhat limited Restricted permeability Slope	0.94 0.63	Somewhat limited Restricted permeability Slope	0.94 0.63	Very limited Slope Restricted permeability	1.00 0.94
779: Kalona-----	90	Very limited		Very limited		Very limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
792C2: Armstrong-----	85	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability	0.94
						Depth to saturated zone	0.39
792D: Armstrong-----	85					Gravel content	0.04
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.04
792D2: Armstrong-----	85	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.04
795D2: Ashgrove-----	90	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
831C2: Pershing-----	90	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
832C2: Weller-----	90					Restricted permeability	0.94
		Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
						Restricted permeability	0.94
876B: Ladoga-----	95						
		Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
876C: Ladoga-----	95						
		Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
876C2: Ladoga-----	95						
		Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
880B: Clinton-----	95						
		Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50
						Restricted permeability	0.15
880C: Clinton-----	90						
		Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Very limited Slope	1.00
						Restricted permeability	0.15
880C2: Clinton-----	90	Somewhat limited		Somewhat limited		Very limited	



Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Restricted permeability	0.15	Restricted permeability	0.15	Slope	1.00
						Restricted permeability	0.15
881B: Otley-----	95	Not limited		Not limited		Somewhat limited Slope	0.50
881C2: Otley-----	90	Not limited		Not limited		Very limited Slope	1.00
892D2: Mystic Variant-----	85	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Restricted permeability	1.00
		Slope	0.16	Slope	0.16	Depth to saturated zone	0.39
977: Richwood-----	90	Not limited		Not limited		Not limited	
977B: Richwood-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
993D2: Gara-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Restricted permeability	0.15	Restricted permeability	0.15	Restricted permeability	0.15
Armstrong-----	30	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Restricted permeability	0.94
		Depth to saturated zone	0.39	Depth to saturated zone	0.19	Depth to saturated zone	0.39
						Gravel content	0.04
1075B: Givin-----	90	Somewhat limited Restricted permeability	0.15	Somewhat limited Restricted permeability	0.15	Somewhat limited Slope	0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II  
RECREATION INTERPRETATIONS

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Restricted permeability	0.15
1130: Belinda-----	95	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00	Very limited Depth to saturated zone Restricted permeability	1.00 1.00
1131B: Pershing-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
1132B: Weller-----	95	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability	0.94	Somewhat limited Restricted permeability Slope	0.94 0.50
1220: Nodaway-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
1279: Taintor-----	85	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15	Very limited Depth to saturated zone Restricted permeability	1.00 0.15
1280: Mahaska-----	85	Not limited		Not limited		Not limited	
1315: Landes-----	50	Not limited		Not limited		Somewhat limited Gravel content Slope	0.22 0.01
Perks-----	30	Very limited Flooding Too sandy	1.00 0.87	Somewhat limited Too sandy Flooding	0.87 0.40	Very limited Flooding Too sandy Slope	1.00 0.87 0.01
1977: Richwood Variant----	90	Not limited		Not limited		Somewhat limited	

Recreation - PART 1.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Wapello County, Iowa

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
						Slope	0.01
4000: Urban Land-----	100	Not rated		Not rated		Not rated	
5010: Pits-----	100	Not rated		Not rated		Not rated	
5020: Pits-----	100	Not rated		Not rated		Not rated	
5030: Pits-----	100	Not rated		Not rated		Not rated	
6313: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	